



2025 MINI QUILT SERIES

I Love Quilts
28 ½" x 28 ½"



FABRIC CUTTING





		Cutting	Fabric Requirements
Background	А	(8) 4 ½" x 8 ½"	1 yard*
	В	(6) 5" x 5"	
	С	(6) 4 ½" x 4 ½"	
	D	(4) 2" x 2"	
Fabric 1	Е	(2) 5" X 5"	¹/₃ yard
	F	(2) 4 ½" x 8 ½"	
	G	(8) 4 ½" x 4 ½"	
Fabric 2	Н	(4) 5" X 5"	1 Fat Quarter
	I	(8) 4 ½" x 4 ½"	
Left / Right Borders		(2) 2 ½" x 24 ½"	*Included in background yardage
Top / Bottom Borders		(2) 2 ½" x 28 ½"	
Binding		(4) 2 ½" x WOF	¾ yard
Backing		1 yard	

PATTERN NOTES AND ABBREVIATIONS

- Sew with a ¼" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- •Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:

RST - Right Sides Together

HST - Half Square Triangle(s)

WOF - Width of Fabric, 42" - 44"

• For pattern corrections visit <u>www.alywilsonquilts.com</u> or contact at <u>alywilsonquilts@gmail.com</u>

ASSEMBLY

1. Draw a line diagonally on the wrong side of all Fabric H squares.

With RST, pair Fabric H squares with

(4) Fabric B squares.

Sew a ¼" away from both sides of the drawn line. Trim on the drawn line.

Open the HST and press open.

Trim all the HST to 4 ½" x 4 ½".









Repeat with the remaining (2) Fabric B and the Fabric E squares.









2. Using (4) Fabric C squares and all HSTs made in step one, sew together the corner units as shown. Press according to the arrows.

The unit should measure 8 ½" x 8 ½".





3. Draw a line diagonally on the wrong side of remaining Fabric C and D squares. With RST place a Fabric D squares on the top left and right corners and a Fabric E square on the bottom of all Fabric F rectangles as shown, making mirrored heart halves. Sew on the drawn line and trim a ¼" away from the sewn line.


Press according to the arrows.

The units should measure 4 ½" x 8 ½".

Sew together the (2) half heart units as shown.

Press according to the arrows.

The units should measure 8 ½" x 8 ½".



4. Draw a line diagonally on the wrong side of the Fabric I squares.

With RST, place (4) Fabric I squares on the right side of (4) Fabric A rectangles as shown.

Sew on the drawn line and trim a ¼" away from the sewn line.


Press according to the arrows.

Place the remaining (4) Fabric I squares on the left side of the unit as shown


Sew on the drawn line and trim a ¼" away from the sewn line.

Press according to the arrows.

The unit should measure 4 ½" x 8 ½".




Repeat this step with the remaining (4) Fabric A rectangles and Fabric G squares.



5. Sew together the flying geese units made in step four as shown.

Press according to the arrows.


The unit should measure 8 ½" x 8 ½".






ASSEMBLY

6. Assemble the block as shown.
Pay attention to the rotation of the units.
Press as desired.
Block should measure 24 ½" x 24 ½".








7. Sew on borders. Sewing on the left and right borders first, followed by the top and bottom. Press as desired.

Mini quilt should measure 28 ½" x 28 ½".



8. Quilt and bind as desired.



share your block
#alywilsonquiltsBOM

#alywilsonquilts

COLORING BLOCKS

