



2025 MINI QUILT SERIES

Irish Hearts
28 ½" x 28 ½"



FABRIC CUTTING



		Cutting	Fabric Requirements
Background	А	(4) 4 ½" x 4 ½"	³¼ yard*
	В	(4) 2 ½" x 10 ½"	
	С	(16) 2 ½" x 2 ½"	
Fabric 1	D	(4) 2 ½" x 6 ½"	1 Fat Quarter
	Е	(4) 2 ½" x 4 ½"	
Fabric 2	F	(4) 2 ½" x 8 ½"	1 Fat Quarter
	G	(4) 2 ½" x 6 ½"	
Fabric 3	Н	(4) 2 ½" x 10 ½"	1 Fat Quarter
	I	(4) 2 ½" x 8 ½"	
Fabric 4	J	(1) 2 ½" x 2 ½"	³ ⁄8" yard**
Border 1	L/R	(2) 2 ½" x 22 ½"	*Included in background yardage
	T/B	(2) 2 ½" x 25 ½"	
Border 2	L/R	(2) 2 ½" x 25 ½"	**Included in Fabric 4 yardage
	T/B	(2) 2 ½" x 28 ½"	
Binding		(4) 2 ½" x WOF	³⁄≋ yard

PATTERN NOTES AND ABBREVIATIONS

- Sew with a ¼" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- •Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:

RST - Right Sides Together
HST - Half Square Triangle(s)

HST - Half Square Triangle(s)

L/R - Left / Right T/B - Top / Bottom

WOF - Width of Fabric, 42" - 44"

• For pattern corrections visit <u>www.alywilsonquilts.com</u> or contact at <u>alywilsonquilts@gmail.com</u>


ASSEMBLY

1. Draw a line diagonally on the wrong side of all (8) Fabric C squares. With RST place a Fabric C square on a top corners of Fabric E and D rectangles as shown.

Sew on the drawn line and trim a ¼" away from the sewn line.

Press according to the arrows.


The units should measure 2 ½" x 4 ½" and 2 ½" x 6 ½".



2. Sew on Fabric E unit followed by the Fabric D unit to the Fabric A square as shown.

Press as desired.

The unit should measure 6 ½" x 6 ½".



3. Sew on Fabric G rectangle followed by the Fabric F rectangle to the unit made in Step 2 as shown.


Press as desired.

The unit should measure 8 ½" x 8 ½".



4. Sew on Fabric I rectangle followed by the Fabric H rectangle to the unit made in Step 3 as shown. Press as desired.

The unit should measure 10 ½" x 10 ½".




5. Draw a line diagonally on the wrong side of the remaining Fabric C squares. With RST place a Fabric C square on a top right and bottom left corners of the unit as shown.

Sew on the drawn line and trim a $\frac{1}{4}$ " away from the sewn line.


Press according to the arrows.


The unit should measure 10 ½" x 10 ½".




 Using the (4) Fabric B rectangles and the Fabric J square, assemble the block as shown.
 Pay attention to the rotation of the units.
 Press as desired.

Block should measure 22 ½" x 22 ½".









ASSEMBLY

- 7. Sew on borders. Sewing on Border 1 left and right borders first, followed by the top and bottom. Repeat with the Border 2.
 - Press as desired.

Mini quilt should measure 28 ½" x 28 ½".





8. Quilt and bind as desired.

shre your block

#alywilsonquiltsBOM #alywilsonquilts

COLORING BLOCKS

