


# ALY WILSON QUILTS




## 2025 MINI QUILT SERIES

### Double Carpenter Star Mini Quilt


28 1/2" x 28 1/2"



#### FABRIC CUTTING



		Cutting	Fabric Requirements
Background	A	(36) 3" x 3"	3/4 yard*
	B	(4) 2 1/2" x 6 1/2"	
	C	(4) 2 1/2" x 4 1/2"	
	D	(4) 2 1/2" x 2 1/2"	
Fabric 1	E	(36) 3" x 3"	1 Fat Quarter
Fabric 2	F	(36) 3" x 3"	1 Fat Quarter
Left / Right Borders		(2) 2 1/2" x 24 1/2"	*Included in background yardage
Top / Bottom Borders		(2) 2 1/2" x 28 1/2"	
Binding		(4) 2 1/2" x WOF	3/8 yard
Backing		1 yard	



#### PATTERN NOTES AND ABBREVIATIONS

- Sew with a 1/4" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
  - RST - Right Sides Together
  - HST - Half Square Triangle(s)
  - WOF - Width of Fabric, 42" - 44"
- For pattern corrections visit [www.alywilsonquilts.com](http://www.alywilsonquilts.com) or contact at [alywilsonquilts@gmail.com](mailto:alywilsonquilts@gmail.com)

# ASSEMBLY

1. Draw a line diagonally on the wrong side of all Fabric A and (18) Fabric E squares.

With RST, pair fabric squares as shown below

(18) Fabric A + (18) Fabric F

(18) Fabric A + (18) Fabric E




(18) Fabric E + (18) Fabric F

Sew a 1/4" away from both sides of the drawn line.

Trim on the drawn line.

Open the HST and press open.


Trim all the HST to 2 1/2" x 2 1/2".



2. Using all Fabric B and C rectangles, Fabric D squares and HST made in step one. Sew together columns as shown.

Press open.



The columns should measure 2 1/2" x 12 1/2".



Make 4 of each

3. Sew together the columns made in step 2 as shown. Press open.

The units should measure 12 1/2" x 12 1/2".



Make 4

*share your block*





#alywilsonquiltsBOM  
#alywilsonquilts




# ASSEMBLY


4. Assemble the block as shown.  
 Pay attention to the rotation of the units.  
 Press as desired.  
 Block should measure 24 1/2" x 24 1/2".











5. Sew on borders. Sewing on the left and right borders first, followed by the top and bottom.  
 Press as desired.  
 Mini quilt should measure 28 1/2" x 28 1/2".



6. Quilt and bind as desired.



# COLORING BLOCKS



## NOTES

---

---

---

---

---

---

---

---



## FABRIC REQUIREMENTS AND CUTTING FOR MEDIUM QUILT

		Cutting	Fabric Requirements
Background	A	(36) 5" x 5"	2 yards*
	B	(4) 4 ½" x 12 ½"	
	C	(4) 4 ½" x 8 ½"	
	D	(4) 4 ½" x 4 ½"	
Fabric 1	E	(36) 5" x 5"	⅞ yard
Fabric 2	F	(36) 5" x 5"	⅞ yard
Left / Right Borders**		(2) 4 ½" x 48 ½"	*Included in background yardage
Top / Bottom Borders**		(2) 4 ½" x 56 ½"	
Binding		(6) 2 ½" x WOF	½ yard
Backing		3 ½ yards	

- Large lap quilt will measure 56 ½" x 56 ½"
- HST will be trimmed to 4 ½" x 4 ½"
- \*\*Borders can be cut from (6) 4 ½" x WOF sewn together end to end.

## FABRIC REQUIREMENTS AND CUTTING FOR LARGE QUILT

		Cutting	Fabric Requirements
Background	A	(36) 7" x 7"	3 ¾ yards*
	B	(4) 6 ½" x 18 ½"	
	C	(4) 6 ½" x 12 ½"	
	D	(4) 6 ½" x 6 ½"	
Fabric 1	E	(36) 7" x 7"	1 ⅜ yard
Fabric 2	F	(36) 7" x 7"	1 ⅜ yard
Left / Right Borders**		(2) 6 ½" x 72 ½"	*Included in background yardage
Top / Bottom Borders**		(2) 6 ½" x 84 ½"	
Binding		(6) 2 ½" x WOF	¾ yard
Backing		7 ½ yards or 2 ¾ of a 108"	

- Large quilt will measure 84 ½" x 84 ½"
- HST will be trimmed to 6 ½" x 6 ½"
- \*\*Borders can be cut from (9) 6 ½" x WOF sewn together end to end.

