


# ALY WILSON QUILTS



## 2025 MINI QUILT SERIES

### Mayflower Mini Quilt

28 ½" x 28 ½"



#### FABRIC CUTTING




		Cutting	Fabric Requirements
Background	A	(4) 4" x 4"	⅝ yard*
	B	(4) 3 ½" x 6 ½"	
	C	(12) 3 ½" x 3 ½"	
Fabric 1	D	(4) 6 ½" x 6 ½"	1 Fat Quarter
	E	(4) 3 ½" x 6 ½"	
Fabric 2	F	(4) 6 ½" x 6 ½"	1 Fat Quarter
	G	(8) 3 ½" x 3 ½"	
Fabric 3	H	(4) 4" x 4"	9" x 21"
	I	(4) 3 ½" x 3 ½"	
Fabric 4	J	(8) 3 ½" x 3 ½"	9" x 21"
	K	(2) 1 ¾" x 6 ½"	
	L	(2) 1 ¾" x 4 ¼"	
Fabric 5	M	(1) 4 ¼" x 4 ¼"	5" x 5"
Left / Right Borders		(2) 2 ½" x 24 ½"	*Included in background yardage
Top / Bottom Borders		(2) 2 ½" x 28 ½"	
Binding		(4) 2 ½" x WOF	⅜ yard
Backing		1 yard	

#### PATTERN NOTES AND ABBREVIATIONS


- Sew with a ¼" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:  
RST - Right Sides Together  
HST - Half Square Triangle(s)  
WOF - Width of Fabric, 42" - 44"
- For pattern corrections visit [www.alywilsonquilts.com](http://www.alywilsonquilts.com) or contact at [alywilsonquilts@gmail.com](mailto:alywilsonquilts@gmail.com)

# ASSEMBLY


1. Draw a line diagonally on the wrong side of all Fabric A squares.  
With RST, pair all Fabric A squares with all Fabric H squares.  
Sew a  $\frac{1}{4}$ " away from both sides of the drawn line.  
Trim on the drawn line.  
Open the HST and press open.  
Trim all the HST to  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ ".





2. Using (4) Fabric C squares and (4) HSTs made in step one, sew together the unit as shown.  
Press according to the arrow.  
The unit should measure  $3\frac{1}{2}$ " x  $6\frac{1}{2}$ ".



3. Using (4) Fabric B rectangles and (4) HSTs made in step one, sew together the unit as shown.  
Press according to the arrow.




- The unit should measure  $3\frac{1}{2}$ " x  $9\frac{1}{2}$ ".
4. Draw a line diagonally on the wrong side of all Fabric I and (4) J squares. With RST place a Fabric I square on a top left corner and a Fabric J square on bottom corner of all Fabric F squares as shown.  
Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
Press according to the arrows.  
The units should measure  $6\frac{1}{2}$ " x  $6\frac{1}{2}$ ".




Make 4

5. Using units made in steps two, three and four, sew together the corner units as shown.  
Pay attention to the rotation of the units.  
Press open.  
The unit should measure  $9\frac{1}{2}$ " x  $9\frac{1}{2}$ ".




6. Draw a line diagonally on the wrong side of the (8) remaining Fabric C squares.  
With RST, place a Fabric C square on the top left corner of (4) Fabric D squares as shown.  
Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
Press according to the arrows.  
Place the remaining Fabric C squares on the top right corner of the units as shown.  
Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
Press according to the arrows.  
The unit should measure  $6\frac{1}{2}$ " x  $6\frac{1}{2}$ ".




# ASSEMBLY


7. Draw a line diagonally on the wrong side of (4) Fabric G and all J squares.  
 With RST, place a Fabric G square on the top left corner of (4) Fabric E rectangles as shown.  
 Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
 Press according to the arrows.  
 Place the remaining Fabric J squares on the top right corner of the units as shown.  
 Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
 Press according to the arrows.  
 The unit should measure  $3\frac{1}{2}$ " x  $6\frac{1}{2}$ ".




8. Using units made in steps six and seven, sew together the middle units as shown.  
 Press open.  
 The unit should measure  $6\frac{1}{2}$ " x  $9\frac{1}{2}$ ".



9. Using Fabric K and L rectangles and the Fabric M square, sew together the center unit as shown.  
 Press as desired.  
 The unit should measure  $6\frac{1}{2}$ " x  $6\frac{1}{2}$ ".




10. Draw a line diagonally on the wrong side of the remaining (4) Fabric G squares.  
 With RST, place a Fabric G square on the top left and bottom right corner of the unit made in step nine.  
 Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
 Press according to the arrows.  
 Place the remaining Fabric G squares on the top right and bottom left corner of the unit as shown.  
 Sew on the drawn line and trim a  $\frac{1}{4}$ " away from the sewn line.  
 Press according to the arrows.  
 The unit should measure  $6\frac{1}{2}$ " x  $6\frac{1}{2}$ ".





## ASSEMBLY

11. Assemble the block as shown.  
Pay attention to the rotation of the units.  
Press as desired.  
Block should measure 24 1/2" x 24 1/2".



12. Sew on borders.  
Sewing on the left and right borders first, followed by the top and bottom.  
Press as desired.  
Mini quilt should measure 28 1/2" x 28 1/2".



13. Quilt and bind as desired.









*share your block*



#alywilsonquiltsBOM  
#alywilsonquilts



# COLORING BLOCKS



## NOTES

---

---

---

---

---

---

---

---

