


ALY WILSON QUILTS


2025 MINI QUILT SERIES

Plaid Star


28 1/2" x 28 1/2"



FABRIC CUTTING



		Cutting	Fabric Requirements
Background	A	(1) 8 1/4" x 8 1/4"	5/8 yard
	B	(4) 4 3/8" x 4 3/8"	
	C	(16) 4" x 4"	
Fabric 1	D	(1) 8 1/4" x 8 1/4"	1 Fat Quarter
	E	(4) 4 3/8" x 4 3/8"	
Fabric 2	F	(1) 7 1/2" x 7 1/2"	1/2 yard
	G	(4) 4" x 14 1/2"	
	H	(4) 4" x 4"	
Fabric 3	I	(8) 4" x 4"	9" x 21"
Binding		(4) 2 1/2" x WOF	3/8 yard
Backing		1 yard	



PATTERN NOTES AND ABBREVIATIONS


- Sew with a 1/4" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
 RST - Right Sides Together
 HST - Half Square Triangle(s)
 WOF - Width of Fabric, 42" - 44"
- For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

ASSEMBLY

1. Using (8) Fabric C, (4) Fabric H and (4) Fabric I squares, sew together the corner 4-patch units as shown.

Press according to the arrows.

The 4-patch units should measure $7\frac{1}{2} \times 7\frac{1}{2}$ ".



2. Draw a line diagonally on the wrong side of (4) Fabric B squares.

With RST, place (1) Fabric B square on the top left and (1) on the bottom right corners of (1) Fabric D square.

Sew a $\frac{1}{4}$ " away from both sides of the drawn line.

Trim on the drawn line.

Press according to the arrows.


With WST, place the remaining (2) Fabric B squares at the bottom left corners of the (2) half flying geese units as shown.

Sew a $\frac{1}{4}$ " away from both sides of the drawn line.

Trim on the drawn line.

Press according to the arrows.


The flying geese units should measure $3\frac{1}{2} \times 6\frac{1}{2}$ ".



3. Repeat step two with (4) Fabric E and (1) Fabric A squares.

Press according to the arrows.


The flying geese units should measure $3\frac{1}{2} \times 6\frac{1}{2}$ ".



4. Using (8) Fabric C squares, (4) Fabric G rectangles and the (4) flying geese units made in step 3, sew together the middle units as shown.

Press according to the arrows.


The middle units should measure $7\frac{1}{2} \times 14\frac{1}{2}$ ".



5. Using (1) Fabric F square, (4) Fabric I squares and the (4) flying geese units made in step 2, sew together the center unit as shown.

Press according to the arrows.




The center unit should measure $7\frac{1}{2} \times 14\frac{1}{2}$ ".



6. Assemble the mini quilt as shown, pay attention to the rotation of the units.

Press as desired.









Mini quilt should measure $28\frac{1}{2} \times 28\frac{1}{2}$ ".



7. Quilt and bind as desired.



COLORING BLOCKS



NOTES

