


ALY WILSON QUILTS


2025 MINI QUILT SERIES

Sunflower Star


28 1/2" x 28 1/2"



FABRIC CUTTING



		Cutting	Fabric Requirements
Background	A	(4) 6 1/2" x 3 1/2"	1 yard*
	B	(4) 4" x 4"	
	C	(12) 3 1/2" x 3 1/2"	
Fabric 1	D	(4) 9 1/2" x 3 1/2"	1 Fat Quarter
	E	(2) 7" x 7"	
Fabric 2	F	(4) 9 1/2" x 3 1/2"	1 Fat Quarter
	G	(2) 7" x 7"	
Fabric 3	H	(12) 3 1/2" x 3 1/2"	1 Fat Quarter
Fabric 4	I	(1) 6 1/2" x 6 1/2"	10" x 10"
Fabric 5	J	(4) 4" x 4"	1 Fat Quarter
	K	(8) 3 1/2" x 3 1/2"	
Left / Right Borders		(2) 2 1/2" x 24 1/2"	*Included in background yardage
Top / Bottom Borders		(2) 2 1/2" x 28 1/2"	
Binding		(4) 2 1/2" x WOF	3/8 yard
Backing		1 yard	




PATTERN NOTES AND ABBREVIATIONS


- Sew with a 1/4" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
RST - Right Sides Together
HST - Half Square Triangle(s)
WOF - Width of Fabric, 42" - 44"
- For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

ASSEMBLY


1. Draw a line diagonally on the wrong side of all Fabric B squares. With RST, pair Fabric B squares with all Fabric J squares. Sew a $\frac{1}{4}$ " away from both sides of the drawn line. Trim on the drawn line. Press according to the arrows. Trim all the HST to $3\frac{1}{2}$ " x $3\frac{1}{2}$ ".




2. Draw a line diagonally on the wrong side of all Fabric E squares. With RST, pair Fabric E squares with all Fabric G squares. Sew a $\frac{1}{4}$ " away from both sides of the drawn line. Trim on the drawn line. Press according to the arrows. Trim all the HST to $6\frac{1}{2}$ " x $6\frac{1}{2}$ ".




3. Draw a line diagonally on the wrong side of all Fabric K squares. With RST place a Fabric K square on the top and bottom corner of all the HST made in step two as shown. Sew a $\frac{1}{4}$ " away from the drawn line. Trim on the drawn line. Press according to the arrows. The unit should measure $6\frac{1}{2}$ " x $6\frac{1}{2}$ ".




4. Using the HST in step one, units made in step three, (4) Fabric A rectangles and (4) Fabric C squares, sew together the corner units as shown. Press according to the arrows. The unit should measure $9\frac{1}{2}$ " x $9\frac{1}{2}$ ".




5. Draw a line diagonally on the wrong side of (4) Fabric C and (4) Fabric H squares. With RST place a Fabric H square on a left and a Fabric C square on the right of (4) Fabric D rectangles as shown. Sew a $\frac{1}{4}$ " away from the drawn line. Trim on the drawn line. Press according to the arrows. The unit should measure $9\frac{1}{2}$ " x $3\frac{1}{2}$ ".




6. Repeat step 5 with (4) Fabric C, (4) Fabric H squares and (4) Fabric F rectangles as shown. Press according to the arrows. The unit should measure $9\frac{1}{2}$ " x $3\frac{1}{2}$ ".



7. Using units made in steps six and seven, sew together the unit as shown. Press open. The unit should measure $6\frac{1}{2}$ " x $9\frac{1}{2}$ ".




8. Draw a line diagonally on the wrong side of the remaining (4) Fabric H squares. With RST place a Fabric H square on top left corner and a Fabric H square on the bottom right corner of the Fabric I square as shown. Sew a $\frac{1}{4}$ " away from the drawn line. Trim on the drawn line. Press according to the arrows. With RST place a Fabric H square on top right corner and a Fabric H square on the bottom left corner of the Fabric I square as shown. Sew a $\frac{1}{4}$ " away from the drawn line. Trim on the drawn line. Press according to the arrows. The unit should measure $6\frac{1}{2}$ " x $6\frac{1}{2}$ ".




ASSEMBLY

9. Assemble the block as shown.
 Pay attention to the rotation of the units.
 Press as desired.
 Block should measure 24 1/2" x 24 1/2".



10. Sew on borders. Sewing on the left and right borders first, followed by the top and bottom.
 Press as desired.
 Mini quilt should measure 28 1/2" x 28 1/2".



11. Quilt and bind as desired.









share your block



#alywilsonquiltsBOM
 #alywilsonquilts



COLORING BLOCKS



NOTES

