ALY WILSON QUILTS

2026 SAWTOOTH SAMPLER
BLOCK OF THE MONTH
February Block Two

FABRIC CUTTING

			Cutting
Background		A	(2) 3" x 3"
Fabric 8		B	(4) 2 ½" x 2 ½"
Fabric 10		C	(2) 3" x 3"
		D	(1) 2 ½" x 2 ½"

To finish the Sawtooth Block you will also need:

(4) Fabric 2 Flying Geese Units
(4) 0-B squares

Refer to the block setting and layout instructions for these units and fabric colors.

Found here
2026 Sawtooth Sampler Instructions

PATTERN NOTES AND ABBREVIATIONS

• Sew with a ¼" seam allowance throughout, unless noted.

• For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.

• Blocks or units may be assembled larger to allow for precise trimming throughout.

• The use of directional fabric may alter the yardage requirements.

• Abbreviations to note:
      RST - Right Sides Together
      HST - Half Square Triangle(s)
      WOF - Width of Fabric, 42" - 44"
      HWOF - Half Width of Fabric, 21" - 22"
      LOF - Length of Fabric

• Two center blocks will be released each month and will measure 6" x 6" finished.

• For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

1. Draw a line diagonally on the wrong side of all
   Fabric A squares.
   With RST, pair Fabric A squares with Fabric C squares.
   Sew a ¼" away from both sides of the drawn line.
   Trim on the drawn line.
   Open the HST and press open.
   Trim all the HST to 2 ½" x 2 ½".

Make 4

2. Using (1) Fabric D square, (4) Fabric B squares and
   the HST made in step one, assemble the block as
   shown.
   Pay attention to the rotation of the units.
   Press as desired.
   The block should measure 6 ½" x 6 ½".

3. Use (4) Fabric 2 Flying Geese units and
   (4) 0-B squares to finish the block.
   Press as desired.
   The block should measure 12 ½" x 12 ½".

share your block

#alywilsonquiltsBOM
#alywilsonquilts

NOTES