






ALY WILSON QUILTS

2026 SAWTOOTH SAMPLER BLOCK OF THE MONTH April Block One



FABRIC CUTTING



		Cutting
Background	A	(2) 3" x 3"
	B	(8) 1 1/2" x 2 1/2"
Fabric 8 	C	(12) 1 1/2" x 1 1/2"
Fabric 10 	D	(2) 3" x 3"
	E	(1) 2 1/2" x 2 1/2"

To finish the Sawtooth Block you will also need:

- (4) Fabric 2 Flying Geese Units
- (4) 0-B squares

Refer to the block setting and layout instructions for these units and fabric colors.

Found here

[2026 Sawtooth Sampler Instructions](#)

PATTERN NOTES AND ABBREVIATIONS


- Sew with a 1/4" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
 - RST - Right Sides Together
 - HST - Half Square Triangle(s)
 - WOF - Width of Fabric, 42" - 44"
 - HWOFF - Half Width of Fabric, 21" - 22"
 - LOF - Length of Fabric

• Two center blocks will be released each month and will measure 6" x 6" finished.


• For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

ASSEMBLY


1. Draw a line diagonally on the wrong side of all Fabric A squares.
With RST, pair Fabric A squares with Fabric D squares.
Sew a $\frac{1}{4}$ " away from both sides of the drawn line.
Trim on the drawn line.
Open the HST and press open.
Trim all the HST to $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".




2. Draw a line diagonally on the wrong side of (4) Fabric E squares.
With RST, place a Fabric E square on the bottom right corner of each HST made in step one as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.
The units should measure $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".



3. Draw a line diagonally on the wrong side the remaining (8) Fabric E squares.
With RST, place a Fabric E square on the left side of (4) Fabric B rectangles as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.



- With RST, place a Fabric E square on the right side of the (4) units as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.
The units should measure $1\frac{1}{2}$ " x $2\frac{1}{2}$ ".




share your block





#alywilsonquiltsBOM
#alywilsonquilts


4. Using the remaining (4) Fabric B rectangles and the units made in step three, sew together the unit as shown.
Press according to the arrows.
The units should measure $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".











5. Using (1) Fabric C square and the units made in steps two and four, assemble the block as shown.
Pay attention to the rotation of the units.
Press as desired.
The block should measure $6\frac{1}{2}$ " x $6\frac{1}{2}$ ".



6. Use (4) Fabric 2 Flying Geese units and (4) 0-B squares to finish the block.
Press as desired.
The block should measure $12\frac{1}{2}$ " x $12\frac{1}{2}$ ".



COLORING BLOCKS



NOTES
