






ALY WILSON QUILTS

2026 SAWTOOTH SAMPLER BLOCK OF THE MONTH April Block Two



FABRIC CUTTING



		Cutting
Background	A	(2) 2 ½" x 2 ½"
	B	(12) 2" x 2"
Fabric 9 	C	(1) 3 ½" x 3 ½"
	D	(2) 2 ½" x 2 ½"
Fabric 11 	E	(4) 2" x 3 ½"

To finish the Sawtooth Block you will also need:

- (4) Fabric 2 Flying Geese Units
- (4) 0-B squares

Refer to the block setting and layout instructions for these units and fabric colors.

Found here


[2026 Sawtooth Sampler Instructions](#)

PATTERN NOTES AND ABBREVIATIONS


- Sew with a ¼" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
 - RST - Right Sides Together
 - HST - Half Square Triangle(s)
 - WOF - Width of Fabric, 42" - 44"
 - HWOFF - Half Width of Fabric, 21" - 22"
 - LOF - Length of Fabric
- Two center blocks will be released each month and will measure 6" x 6" finished.
- For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

ASSEMBLY


1. Draw a line diagonally on the wrong side of all Fabric A squares.
With RST, pair Fabric A squares with Fabric D squares.
Sew a $\frac{1}{4}$ " away from both sides of the drawn line.
Trim on the drawn line.
Open the HST and press open.
Trim all the HST to 2" x 2".




2. Draw a line diagonally on the wrong side of (8) Fabric B squares.
With RST, place a Fabric B square on the left side of (4) Fabric E rectangles as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.



- With RST, place a Fabric B square on the right side of the (4) units as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.
The units should measure 2" x 3 $\frac{1}{2}$ ".



3. Draw a line diagonally on the wrong side of the remaining (4) Fabric B squares.
With RST, place a Fabric B square on the top left and bottom right corners of (1) Fabric C square as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.




share your block





#alywilsonquiltsBOM
#alywilsonquilts


- With RST, place the remaining (2) Fabric B squares on the top right and bottom left corners of the unit as shown.
Sew on the drawn line.
Trim a $\frac{1}{4}$ " away from the sewn line.
Press according to the arrows.











- The unit should measure 3 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ ".
4. Using the units made in each step, assemble the block as shown.
Pay attention to the rotation of the units.
Press as desired.



- The block should measure 6 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ ".
5. Use (4) Fabric 3 Flying Geese units and (4) 0-B squares to finish the block.
Press as desired.



COLORING BLOCKS



NOTES
