



ALY WILSON QUILTS


2026 SAWTOOTH SAMPLER BLOCK OF THE MONTH July Block One



FABRIC CUTTING



		Cutting
Background	A	(2) 3" x 3"
	B	(5) 2 1/2" x 2 1/2"
Fabric 11 	C	(2) 3" x 3"
	D	(4) 1" x 1"
Fabric 13 	E	(8) 2" x 2"



To finish the Sawtooth Block you will also need:

(4) Fabric 5 Flying Geese Units
(4) 0-B squares

Refer to the block setting and layout instructions for these units and fabric colors.


Found here
[2026 Sawtooth Sampler Instructions](#)

PATTERN NOTES AND ABBREVIATIONS


- Sew with a 1/4" seam allowance throughout, unless noted.
- For best fabric nesting results, follow pressing arrows shown in the pattern, unless otherwise stated.
- Blocks or units may be assembled larger to allow for precise trimming throughout.
- The use of directional fabric may alter the yardage requirements.
- Abbreviations to note:
 - RST - Right Sides Together
 - HST - Half Square Triangle(s)
 - WOF - Width of Fabric, 42" - 44"
 - HWOFF - Half Width of Fabric, 21" - 22"
 - LOF - Length of Fabric
- Two center blocks will be released each month and will measure 6" x 6" finished.
- For pattern corrections visit www.alywilsonquilts.com or contact at alywilsonquilts@gmail.com

ASSEMBLY


1. Draw a line diagonally on the wrong side of all Fabric A squares.
With RST, pair Fabric A squares with (2) Fabric C squares.
Sew a $\frac{1}{4}$ " away from both sides of the drawn line.
Trim on the drawn line.
Open the HST and press open.
Trim all the HST to $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".




2. Draw a line diagonally on the wrong side of (4) Fabric E squares. With RST, place the Fabric E squares on the bottom right corner of the (4) HST made in step one as shown.
Sew on the drawn line and trim a $\frac{1}{4}$ " from the sewn line.
Press according to the arrow.
The units should measure $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".





3. Draw a line diagonally on the wrong side of (4) Fabric E squares. With RST, place the Fabric E squares on the bottom right corner of the (4) Fabric B squares as shown.
Sew on the drawn line and trim a $\frac{1}{4}$ " from the sewn line.
Press according to the arrows.
The units should measure $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".




4. Draw a line diagonally on the wrong side of (4) Fabric D squares. With RST, place a Fabric D square on each corner of (1) Fabric B square.
Sew on the drawn line and trim a $\frac{1}{4}$ " from the sewn line.
Press according to the arrow.
The unit should measure $2\frac{1}{2}$ " x $2\frac{1}{2}$ ".



5. Using units made in steps two, three and four, assemble the block as shown.
Pay attention to the rotation of the units.
Press as desired.
The block should measure $6\frac{1}{2}$ " x $6\frac{1}{2}$ ".



6. Use (4) Fabric 5 Flying Geese units and (4) 0-B squares to finish the block.
Press as desired.
The block should measure $12\frac{1}{2}$ " x $12\frac{1}{2}$ ".











share your block



#alywilsonquiltsBOM
#alywilsonquilts



COLORING BLOCKS



NOTES

Handwritten notes area with horizontal lines.

